



### THE OMEGA CLAMP (PIPE)

GALVANIZED STEEL ITEM #	STAINLESS STEEL ITEM #	SIZE
CCO008M011	CCO008MS011	1/4"
CCO010M013	CCO010MS013	3/8"
CCO014M017	CCO014MS017	1/2"
CCO018M020	CCO018MS020	3/4"
CCO021M026	CCO021MS026	1"

- Thermoplastic elastomer
- Built tough to withstand the effects of most oils, chemical and industrial cleaning compounds, in temperatures from -50°F to 275°F
- The interlock edge insures that the cushion remains in place



### CUSH-A-CLAMP (PIPE)

GALVANIZED STEEL ITEM #	STAINLESS STEEL ITEM #	SIZE
CC009N012	CC009NS012	1/4"
CC011N014	CC011NS014	3/8"
CC014N018	CC014NS018	1/2"
CC017N022	CC017NS022	3/4"
CC021N026	CC021NS026	1"
CC027N032	CC027NS032	1 1/4"
CC030N034	CC030NS034	1-1/2"

- "Controlled Squeeze" design eliminates over tightening and rotation while a nylon-insert nut assures a positive lock.
- Fits any standard 1-5/8" wide channel.



### CUSH-A-CLIP (TUBING)

ITEM #	SIZE
RPC06	3/8"
RPC08	1/2"
RPC10	5/8"
RPC12	3/4"
RPC14	7/8"
RPC18	1-1/8"



### HOSE CLAMPS

ITEM#	SIZE	MATERIAL
SP4-HS	7/32" - 5/8"	
SP5-HS	7/16" - 11/16"	
SP6-HS	3/8" - 7/8"	Stainless
SP8-HS	1/2" - 11/16"	Stainless
SP12-HS	9/16" - 1 1/4"	Stainless
SP16-HS	11/16" - 1 1/2"	Stainless
SP20-HS	3/4" - 1 3/4"	Stainless
SP24-HS	11/16" - 2"	Stainless
SP32-HS	1-9/16" - 2 1/2"	Stainless



### PVC HOSE GUARDS

ITEM#	SIZE	COLOR	LENGTH
HVR1050	1/4"	Black	6"
HVR150041	5/16"	Black	5.74"
HVR1051	3/8"	Black	6"
HVR1051R	3/8"	Red	7"
HVR1052	1/2"	Black	7"

### HEAVY DUTY HOSE GUARD WITH GRIP

ITEM#	SIZE	COLOR	LENGTH
HVR1051HDR	3/8"	Red	5.75"
HVR1051HD	3/8"	Black	5.75"



For updated pricing visit  
[carwashsuperstore.com](http://carwashsuperstore.com)



## HOSE ASSEMBLIES



### 1/4" RIGID (SINGLE WIRE BRAID)

Max PSI: 3000 • Max Temp: 250°

ITEM#	COLOR	LENGTH	SIZE
SSH1214-38BL	Blue	12'	2 - 3/8" MPT
SSH1414-38BL		14'	2 - 3/8" MPT
SSH1514-38BL		15'	2 - 3/8" MPT
SSH1614-38BL		16"	2 - 3/8" MPT
SSH2414-38BL		24'	2 - 3/8" MPT
SSH1214BL		12'	2 - 1/4" MPT
SSH1314BL		13'	2 - 1/4" MPT
SSH1414BL		14'	2 - 1/4" MPT
SSH1514BL		15'	2 - 1/4" MPT

### 1/4" SWIVEL (SINGLE WIRE BRAID)

Max PSI: 3000 • Max Temp: 250°

ITEM#	COLOR	LENGTH	SIZE
SSH1214BLS	Blue	12'	2 - 1/4" MPT
SSH1414BLS		14'	2 - 1/4" MPT
SSH1514BLS		15'	2 - 1/4" MPT
SSH2514BKS*	Black	25'	2 - 1/4" MPT

\*No hose guard

### 3/8" BYPASS/BOOM HOSE

Max PSI: 4000 • Max Temp: 250°

ITEM#	LENGTH	DESC.	SIZE
SSH138BL	12"	Whip Hose	2 - 3/8" MPT
SSH21in38BLS*	21"	Bypass (Swivel)*	2 - 3/8" MPT
SSH238BL	24"	Bypass	2 - 3/8" MPT
SSH638BL	72"	Boom	2 - 3/8" MPT

\*No hose guard

Hose guard included  
except where indicated

### 3/8" RIGID (SINGLE WIRE BRAID)

Max PSI: 4000 • Max Temp: 250°

ITEM#	COLOR	LENGTH	SIZE
SSH1238BL	Blue	12'	2 - 3/8" MPT
SSH1338BL		13'	2 - 3/8" MPT
SSH1438BL		14'	2 - 3/8" MPT
SSH1538BL		15'	2 - 3/8" MPT
SSH1638BL		16'	2 - 3/8" MPT
SSH1838BL		18'	2 - 3/8" MPT
SSH1838BK	Black	18'	2 - 3/8" MPT
SSH1938BL	Blue	19'	2 - 3/8" MPT
SSH5038BL		50'	2 - 3/8" MPT
SSH7538BL		75'	2 - 3/8" MPT

### 3/8" SWIVEL (SINGLE WIRE BRAID)

Max PSI: 4000 • Max Temp: 250°

ITEM#	COLOR	LENGTH	SIZE
SSH1238BLS	Blue	12'	2 - 3/8" MPT
SSH1338BLS		13'	2 - 3/8" MPT
SSH1438BLS		14'	2 - 3/8" MPT
SSH1538BLS		15'	2 - 3/8" MPT
SSH1638BLS		16'	2 - 3/8" MPT
SSH1938BKBS	Black	19'	2 - 3/8" MPT
SSH5038BLS	Blue	50'	2 - 3/8" MPT
SSH7538BLS		75'	2 - 3/8" MPT
SSH7538BKBS	Black	75'	2 - 3/8" MPT
SSH10038BLS	Blue	100'	2 - 3/8" MPT
SSH10038BKBS	Black	100'	2 - 3/8" MPT

### 3/8" SWIVEL (2 WIRE BRAID)

Swivel on both ends

Max PSI: 6000 • Max Temp: 275°

ITEM#	COLOR	LENGTH	SIZE
SSH5038BK2S	Black	50'	2 - 3/8" MPT
SSH5038G2S	Gray		2 - 3/8" MPT
SSH10038BK2S	Black	100'	2 - 3/8" MPT
SSH10038G2S	Gray		2 - 3/8" MPT



1-877-663-9274

fax (662) 655-1234 • sales@carwashsuperstore.com





## MOSMATIC LIGHTWEIGHT COMFORT HOSE

**WEIGHS LESS THAN 2 POUNDS**



ITEM#	SIZE	
SW90089	12'	<ul style="list-style-type: none"> <li>• 3/8" M</li> <li>• Max PSI: 2900</li> <li>• Max Temp: 140°</li> </ul>
SW90088	14'	<ul style="list-style-type: none"> <li>• Rigid Ends</li> <li>• Hose Guard included</li> </ul>
SW90090	16'	<ul style="list-style-type: none"> <li>• Color: Blue</li> <li>• Smooth</li> </ul>




## HIGH PRESSURE HOSE

ITEM#	SIZE	
CS1238BL	12'	<ul style="list-style-type: none"> <li>• 3/8" M</li> <li>• Max PSI: 4000</li> </ul>
CS1338BL	13'	<ul style="list-style-type: none"> <li>• Max Temp: 140°</li> </ul>
CS1438BL	14'	<ul style="list-style-type: none"> <li>• Rigid Ends</li> <li>• Hose Guard included</li> </ul>
CS1538BL	15'	<ul style="list-style-type: none"> <li>• Color: Blue</li> </ul>
CS1838BL	18'	<ul style="list-style-type: none"> <li>• Smooth</li> </ul>



## LOW PRESSURE HOSE

ITEM#	SIZE	
CWSLP3812BL	12'	<ul style="list-style-type: none"> <li>• 3/8" M</li> <li>• Max PSI: 300</li> </ul>
CWSLP3813BL	13'	<ul style="list-style-type: none"> <li>• Max Temp: 150°</li> </ul>
CWSLP3814BL	14'	<ul style="list-style-type: none"> <li>• Rigid Ends</li> <li>• Hose Guard included</li> </ul>
CWSLP3815BL	15'	<ul style="list-style-type: none"> <li>• Color: Blue</li> </ul>
CWSLP3816BL	16'	<ul style="list-style-type: none"> <li>• Smooth</li> </ul>



## 25' COIL TUBING FOAMY HOSE

Kink Resistant up to 165°

COLOR		1/4"	3/8"
Neon Green		FC2504G	FC2506G
Blue		FC2504B	FC2506B
Yellow		FC2504Y	FC2506Y
Clear/Blue		FC2504C	FC2506C
Red		FC2504R	FC2506R



## 17.5" THERMOPLASTIC HOSE

**Max PSI: 3000 • Max Temp: 250°**

ITEM#	END
SSHTOH*	1/4" MPT

Fits D&S Car Wash Top Oscillator

\*No hose guard



## GANTRY HOSES (2 WIRE BRAID)

**Max PSI: 6000 • Max Temp: 275°**

ITEM#	HOSE/M/90° JIC	LENGTH
SSHGH14*	1/4"	14'
SSHGH12*	1/2"	
SSHGH38*	3/8"	

For D&S Car Wash Equipment

\*No hose guard

## 25' FLEXEEL FLEXIBLE COIL HOSE

Kink Resistant up to 165°

COLOR		1/4"	3/8"
Red		FE2504R	FE2506R
Clear Blue		FE2504C	FE2506C
Yellow		FE2504Y	FE2506Y



For updated pricing visit  
[carwashsuperstore.com](http://carwashsuperstore.com)



Hose may be purchased by the reel or by custom lengths.



#### HIGH-PRESSURE 1-WIRE HOSE

ITEM#	SIZE	COLOR	PSI	REEL	TEMP RANGE
HG9474	1/4"	Blue	4000	300'	-40° to 250°
HG9378	1/4"	Black	4000	1000'	-40° to 250°
HG9468	3/8"	Blue	4000	300'	-40° to 250°
HG2402	3/8"	Black	3000	300'	-40° to 250°
HG9456	1/2"	Blue	3000	300'	-40° to 250°
HG9375	1/2"	Black	3000	300'	-40° to 250°
HG0123	3/4"	Black	1525	220'	-40° to 212°
HG0124	1"	Black	1300	165'	-40° to 212°



#### HIGH-PRESSURE 2-WIRE HOSE

ITEM#	SIZE	COLOR	PSI	REEL	TEMP RANGE
HG2410	1/4"	Black	6000	300'	-40° to 212°
HG2407	3/8"	Black	5000	300'	-40° to 212°
HG2426	1/2"	Black	4000	300'	-40° to 212°
HG0128	3/4"	Black	3100	220'	-40° to 212°
HG0129	1"	Black	2400	165'	-40° to 212°



#### PYTHON LOL LOW-PRESSURE LOCK ON HOSE

ITEM#	SIZE	COLOR	PSI	REEL	TEMP RANGE
P143BL	1/4"	Blue	300	500'	-20° to 212°
P144BL	3/8"	Blue	300	500'	-20° to 212°
P145BL	1/2"	Blue	300	500'	-20° to 212°
P109BL	3/4"	Blue	300	225'	-40° to 212°



#### PLIOVIC LOW-PRESSURE MULTI-PURPOSE CONTITECH HOSE

ITEM#	SIZE	COLOR	PSI	REEL	TEMP RANGE
HG300-4B	1/4"	Blue	250	750	-10° F to 158° F
HG300-6B	3/8"	Blue	250	750	-10° F to 158° F
HG300-8B	1/2"	Blue	250	750	-10° F to 158° F
HG300-12B	3/4"	Blue	250	450	-10° F to 158° F
HG300-16B	1"	Blue	200	400	-10° F to 158° F



1-877-663-9274

fax (662) 655-1234 • sales@carwashsuperstore.com





### RIGID CRIMP ON FITTINGS

ITEM	HOSE SIZE	THREAD
4G-4FP	1/4"	1/4" FPT
4G-4MP	1/4"	1/4" MPT
4G-6FP	1/4"	3/8" FPT
4G-6MP	1/4"	3/8" MPT
6G-4MP	3/8"	1/4" MPT
6G-6FP	3/8"	3/8" FPT
6G-6MP	3/8"	3/8" MPT
6G-8MP	3/8"	1/2" MPT
8G-8MP	1/2"	1/2" MPT
8G-8FP	1/2"	1/2" FPT
12G-12MP	3/4"	3/4" MPT
16G-16MP	1"	1" MPT



### SWIVEL CRIMP ON FITTINGS

ITEM	HOSE SIZE	THREAD
4G-4FPX	1/4"	1/4" FPT
4G-4MPX	1/4"	1/4" MPT
6G-6FPX	3/8"	3/8" FPT
6G-6MPX	3/8"	3/8" MPT
8G-8FPX	1/2"	1/2" FPT
8G-8MPX	1/2"	1/2" MPT
12G-12FPX	3/4"	3/4" FPT
12G-12MPX	3/4"	3/4" MPT
16G-16FPX	1"	1" FPT
16G-16MPX	1"	1" MPT



### REUSABLE HOSE FITTINGS

	ITEM #	HOSE SIZE	THREAD
SINGLE WIRE	GHF145	1/4"	1/4" MPT
	GHF146	1/4"	1/4" MPT Swivel
	GHF150	3/8"	3/8" MPT
	GHF151	3/8"	3/8" MPT Swivel
	GHF152	3/8"	1/4" MPT
	GHF157	3/4"	3/4" MPT
	GHF147	1/2"	1/2" MPT
	GHF158	1"	1" MPT
	GHF145FJX	1/4"	1/4" F JIC Swivel
	GHF150FJX	3/8"	3/8" F JIC Swivel
	GHF147FJX	1/2"	1/2" F JIC Swivel
	GHF157FJX	3/4"	3/4" F JIC Swivel
2-WIRE	GHF148	1/4"	1/4" MPT
	GHF162	3/8"	3/8" MPT
	GHF165	1/2"	1/2" MPT
	GHF168	3/4"	3/4" MPT
	GHF169	1"	1" MPT



### JIC SWIVEL (90°) CRIMP ON FITTINGS

ITEM	HOSE SIZE	THREAD
4G-4FJX90S	1/4"	1/4" FPT
6G-6FJX90S	3/8"	3/8" FPT
8G-8FJX90S	1/2"	1/2" FPT
12G-12FJX90S	3/4"	3/4" FPT



### JIC SWIVEL (STRAIGHT) CRIMP ON FITTINGS

ITEM	HOSE SIZE	THREAD
4G-4FJX	1/4"	1/4" FPT
6G-6FJX	3/8"	3/8" FPT
8G-6FJX	1/2"	3/8" FPT
8G-8FJX	1/2"	1/2" FPT
12G-12FJX	3/4"	3/4" FPT
16G-16FJX	1"	1" FPT



For updated pricing visit  
[carwashsuperstore.com](http://carwashsuperstore.com)





### POLY TUBING

	150 PSI 1/4" OD 1/8" ID	150 PSI 3/8" OD 1/4" ID	125 PSI 1/2" OD 3/8" ID
COLOR	ITEM#	ITEM#	ITEM#
Black	PTF100BK	PTF300BK	PTF500BK
Blue	PTF100BL	PTF300BL	PTF500BL
Orange		PTF300OR	
Green	PTF100GN	PTF300GN	PTF500GN
Natural	PTF100N	PTF300N	PTF500N
Red	PTF100RD	PTF300RD	PTF500RD
Yellow	PTF100YW	PTF300YW	PTF500YW

Tubing sold by 100' or 500' reels



### NYLON TUBING

	290 PSI 1/4" OD 0.18 ID	250 PSI 3/8" OD 0.275 ID	240 PSI 1/2" OD 3/8" ID
COLOR	ITEM#	ITEM#	ITEM#
Natural	PTFN100N	PTFN300N	PTFN800N
Black	PTFN100BK	PTFN300BK	PTFN800BK

Tubing only sold by the bag (100')



### REINFORCED CLEAR HEAVY WALL POLY-BRAID LOW PRESSURE HOSE

(Sold By Box)

ITEM#	ID	OD	PSI (75°F)	LENGTH
RHP04H	1/4"	.438	250	100
RHP04H-300	1/4"	.438	250	300
RHP06H	3/8"	.594	225	100
RHP06H-300	3/8"	.594	225	300
RHP08H	1/2"	.750	200	100
RHP08H-300	1/2"	.750	200	300
RHP12H	3/4"	1.030	150	100
RPH12H-300	3/4"	1.030	150	300
RHP16H	1"	1.30	125	100
RHP20H	1 1/4"	1.62	100	100
RHP24H	1 1/2"	1.938	100	100
RHP32H	2"	2.492	75	50

Temperature Range: 15°F to 150°F



### NON-REINFORCED CLEAR VINYL FLEXIBLE TUBING

(Sold By Box)

ITEM#	ID	OD	PSI (75°F)	LENGTH
K010-0204X100	1/8"	1/4"	65	100
K010-0406X100	1/4"	3/8"	55	100
K010-0408X100	1/4"	1/2"	60	100
K010-0608X100	3/8"	1/2"	45	100
K010-0609X100	3/8"	9/16"	50	100
K010-0610X100	3/8"	5/8"	55	100
K010-0810X100	1/2"	5/8"	30	100
K010-0811X100	1/2"	11/16"	40	100
K010-0812X100	1/2"	3/4"	45	100
K010-1013X100	5/8"	13/16"	35	100
K010-1014X100	5/8"	7/8"	40	100
K010-1216X100	3/4"	1"	35	100
K010-1220X100	3/4"	1 1/4"	45	100
K010-1420X100	7/8"	1 1/8"	30	100
K010-1620X100	1"	1 1/4"	25	100
K010-2024X50	1 1/4"	1 1/2"	20	50
K010-2028X50	1 1/4"	1 5/8"	30	50
K010-3240X50	2"	2 1/2"	20	50

Temperature Range: 15°F to 150°F



1-877-663-9274

fax (662) 655-1234 • sales@carwashsuperstore.com

