

TOP SELLER




ASCR54



ATCR84C



ASCR50



ASCRS513

PRODUCT	ITEM#	FEATURES
Dip Switch Type Non-Accumulating Timer		
	ASCR54	<ul style="list-style-type: none"> • 1-15 Coins • 120 V • 30 Amp Output • Multiple time delay selection
Encapsulated Accumulating Timer		
	ATCR84C	<ul style="list-style-type: none"> • Microcontroller Based Circuitry • Accumulates 1 to 255 Coins • Encapsulated to withstand harshest environment • 0.5% Repeat Accuracy • 24/120VAC • UL and cUL Recognized • Last Coin Indication
Dial Type Timer		
	ASCR50	<ul style="list-style-type: none"> • 1-15 Coins • 120V Timer • 30 Amp Output • Multiple time delay selection
Non-Accumulating Timer		
	ASCRS513	<ul style="list-style-type: none"> • 120V • Fixed 3-seconds



VEND2000



KKR Series



TPCR5B3A



RC1433-B
Wireless Push Button
Remote Control Transmitter



RC1433-C
Wireless Receiver with
Omnidirectional Antenna

USE TOGETHER WHEN WANTING TO PROVIDE CUSTOMER WITH *FREE* SERVICE

PRODUCT	ITEM#	FEATURES
Encapsulated Power Vending Control		
	VEND2000	<ul style="list-style-type: none"> • 24 VAC Or 120 VAC Operating Voltage • Totally Line Isolated Low Voltage Coin Switch & Lighting Connections • Cycle Cancel Button To Aid In Equipment Service • Dip Switch Settable Coin Accumulator And Time Delay • 15 Second Time Setting Resolution • High Power Relay Contact Output, No Heatsinking Required • Encapsulated To Withstand Harshest Environments • UL & cUL Recognized
Med./High Power Timing Controls		
	KKR Series (ask rep about available options)	<ul style="list-style-type: none"> • C/MOS Digital Circuitry • Time Delays To 1000 Minutes • No First Cycle Effect • Wide Voltage Selection 24-230 VAC, 12-28 VDC • Medium, High Power or Heavy Duty Output Ratings • Outputs Available Isolated Or Non-Isolated • No Heatsinking Required • Encapsulated To Withstand Harshest Environments • UL / cUL Recognized
All Purpose Timers		
accumulating	TPCR5B3A	<ul style="list-style-type: none"> • Microcontroller Circuitry • Accumulates 1 to 255 Coins • Multiple Time Delay Selection • Encapsulated To Withstand Harshest Environment
non-accumulating	TPCR5B3S	<ul style="list-style-type: none"> • Contacts rated Up To 20 amps, 1hp@125VAC • UL / cUL Recognized • CE Marking



1-877-663-9274

fax (662) 655-1234 • sales@carwashsuperstore.com





TIMEMASTER

ITEM#	DESCRIPTION
TM-5J	<ul style="list-style-type: none"> • Customer friendly with easy to understand instructions • Blue-green fluorescent display maximizes visibility • Audible confirmation as well as the visual display • Display flashes and horn sounds during the last minute (set from 1 to 59 seconds) • Grace time is programmable from 0 to 59 seconds • Remote control available • Timer 24V-AC / Horn 12V-DC



ITEM#	PRODUCT	DESCRIPTION
VAC8712SS4	SSAC® Accumulating Timer	120V, 30 AMP, for JE Adams Vacuums and Air Machines.
VAC8712SS5	SSAC® Non-Accumulating Timer	



ITEM#	PRODUCT	DESCRIPTION
SECST	SecureCoin® Accumulating Super Timer	120VAC or 24VAC, Digital, Programmable, Grace time, Counter Output, Last Minute Alert



ITEM#	PRODUCT	DESCRIPTION
TI0333	Parker® Grace Timer II	24V-AC / HORN 15V-DC Programmable up to 63 coins. Grace time of 15, 30, or 45 seconds.



For updated pricing visit
carwashsuperstore.com



IDX TIMERS

TOP SELLER



AT411E



AT422



IDX ACCUMULATING TIMERS

ITEM#	FEATURES	SPECS
AT411E		<ul style="list-style-type: none"> • Input and output voltage (115VAC or 24VAC) • Two 25 AMP SCR outputs mounted on aluminum heat sink
AT411E-L	Last Coin Alert	
AT411E-X	Extra Time Option	
AT412	220 Volt to 24 Volt	
AT413	110 Volt Input, 24 Volt Output No Transformer Required	
AT422*		<ul style="list-style-type: none"> • Two time switches • Two coin to start switches • 24VAC or 120VAC input & output voltage
AT422L*	Last Coin Alert	

* Dual Accumulating Timers

MX-1



MX-8



IDX MULTIPLEXED CONTROLS

ITEM#	FEATURES	SPECS
MX-1	1s On & Off Delay	<ul style="list-style-type: none"> • 24VAC delay timer used between motor starter and rotary switch
MX-8	2s On & Off Delay	<ul style="list-style-type: none"> • 24VAC or 120VAC output • Monitor 8 inputs from bay location to any other low pressure system • 24VAC multiplexed control
MX-9	No Time Delay	
MX-10	1s On & Off Delay	
MX-48		<ul style="list-style-type: none"> • Eight inputs and four outputs. • 1 constant output & 3 separate timed outputs controlled by 1 switch with 5mSec overlap
ST100	12-pos. terminal block	Built in snubbers to eliminate voltage spiking

IDX DISPLAY TIMERS

ITEM#	DESCRIPTION
GT200	Giga Timer 200
GT200A	Fragramatics (with high output) REPLACES LTT802FHP

- Compact multi-feature display timer
- Display brightness field programmable with 3 settings
- Display can be set to change brightness levels based on the timers activity
- 24VAC Standard
- 3 AMP Relay Output Fused
- Dual Time/Value Accumulating timer for multi-value services or promotions
- Counts up dollar value as coins are deposited
- Counts time down when running
- Personalized scrolling message with 127 characters



ITEM#	DESCRIPTION
RC800-B	Remote control programmer for Big Time, LTT & GT Series



LTT-11-FC



LTT-10

ITEM#	DESCRIPTION
LTT-11-FC	Red Lexan Front cover with 4 posts for MA850, LTT800 & LTT802, GT200
LTT-10	Red Acrylic Front cover for MA850, LTT800 & LTT802, GT200



1-877-663-9274

fax (662) 655-1234 • sales@carwashsuperstore.com





TIGS401



TIGS402



TIGS403




TIGS409



TIGS30



TIGS20



TIGS16D



TIGS27D



TIGS26

GINSAN TIMERS

PRODUCT	ITEM#	VOLTS	FEATURES
Accumulating Timers			
	TIGS401	24	<ul style="list-style-type: none"> Last Coin Alert Display: # Coins or Tokens Accepted 20-32 VAC Input power 24V AC Time per Coin: 1-999 seconds Coins to Start: 1-99 coins Built-In Overload Protection Replaces: TIGS-255, TIGS-87, TIGS-8, and TIKR255 2-year Warranty
	TIGS402	24	<ul style="list-style-type: none"> Typical Applications: Bay Timing, Fragrance & Shampoo Machines, Vacuums (with TIGS26 Vac Driver) Time per Coin: 1-511 seconds Coins to Start: 1-31 coins Coins Accumulated: 1-255 coin pulses Built-In Overload Protection Replaces TIGS-7 and TIKR-7 2-year warranty
	TIGS403	110	<ul style="list-style-type: none"> Vacuum Motors Driven: 3 Time per Coin: 1-511 seconds Coins to Start: 1-31 coins Coins Accumulated: 1-255 coin pulses Built-In Overload Protection Replaces TIGS-9, TIKR-9, TIGS-11 and TIGS-101 1-year warranty
Non-Accumulating Timers			
	TIGS409	120	<ul style="list-style-type: none"> Time per Coin: 1-511 seconds Coins to Start: 1-31 coins Timer will not accumulate coins when operational Timer will accommodate up to three vacuum motors 1-year warranty
Triple Foam Timer			
	TIGS30	24	<ul style="list-style-type: none"> Used in Triple Foam Units 3 Outputs Continually Cycle on One at a Time Replaces: TIGS-8 2-year Warranty
Audible Alert Kit			
	TIGS20	24	<ul style="list-style-type: none"> Buzzer activates for the first 8-10 seconds of the last coin's worth of time A 24V light connected to the unit will flash for entire last coin's worth of time Comes with wiring harness, light and decal To be used with TIGS-401 or any timer with low time alert output 2-year Warranty
R.O. Pump Control			
	TIGS16D	24	<ul style="list-style-type: none"> Reverse osmosis pump control with input for 12 bays. Output operates after 1s delay 2-year Warranty
Logic Shut Off Weep			
	TIGS27D	24	<ul style="list-style-type: none"> for Pre-Soak and Tire Cleaner 2-year Warranty
Vac Driver			
	TIGS26	24	<ul style="list-style-type: none"> Provides 24 V power to operate a TIGS7 or a similar timer and also drives the vacuum motors. No need for transformer & relay 2-year Warranty



For updated pricing visit
carwashsuperstore.com



Dixmor

TOP SELLER

SELF-CHARGING TIMER

ITEM#	DESCRIPTION
DX7	LED 7 Display Timer
DX7LEXAN	Lexan Cover
DX7-WiringHarness	Replacement Wiring Harness

- Programmable scrolling message to greet and thank customers
- English/Spanish message options
- Horn output to alert customer
- Quartz crystal for maximum accuracy
- Easily programmed with 2 buttons
- Built-In memory back up if power fails
- Adaptable to any coin acceptor
- Built-In resettable coin counter
- Continuous time remaining display
- Accumulates up to 99:59
- 1-200 Coin Start, 1-599 seconds / coin
- 1-10 minutes per coin
- Add coins at any time
- Comes with wiring harness
- Optional remote control for programming



DX7

BASIC SHELF MOUNT DIGITAL DISPLAY TIMER

ITEM#	DESCRIPTION
DX6	LED 6 Display Timer
DX6S	LED 6 Display Timer with Dual Functions
DX6-MountingBracket	Mounting Bracket
DX6-WiringHarness	Replacement Wiring Harness

- All the great features of the LED7 timer
- Programmable message, bonus time, optional one coin restart, auxiliary input for bill validator
- Shelf mount timer
- Case size = 3½"W x 2"H x 3"D
- Super bright red dot matrix LED display 2½" x ¾"
- Credit card input with advanced features: count up in time or money, display programmable message during count up
- Has prompt that shows "ADD \$xx.xx MORE" if start price is not reached
- Optional remote control for programming



DX6

OPTIONAL ACCESSORIES

ITEM#	DESCRIPTION
DXHorn	Horn 12/24 Volt DC
DXRemoteControl	Wireless Remote Control for Easy Programming



HORN



REMOTE CONTROL



1-877-663-9274

fax (662) 655-1234 • sales@carwashsuperstore.com



Dixmor

DIXMOR



DX2002

ULTIMATE TIMER

ITEM#	DESCRIPTION
DX2002	Ultimate Timer
DX2002BOARD	Replacement Circuit Board
DX2002LK	Replacement Lock and Key
DX2002LEXAN	Lexan Cover
DX2002DECALS	"TIME REMAINING" Decals

- Water tight stainless steel enclosure 19 x 8 1/2 x 1 1/2"
- 3 1/2" x 11 1/4" dot matrix LED display
- Programmable, moving sign display
- Last minute warning horn alert



DX200

DRYER TIMER DISPLAY

ITEM#	DESCRIPTION
DX200-24V	Timer Display, 24 Volt
DX200-120V	Timer Display, 120 Volt
DX200-4STND	4' Stand Includes Hood
DX200BOARD	Circuit Board, Specify 24 or 120 Volts
DX200LK	Replacement Lock and Key
DX200-DTL	Lexan Cover Stamped "DRYER TIME"
DX200LEXAN	Lexan Cover for Countdown Area

- One Pulse Start
- No Timed Output
- 4" Numbers
- Counts down in seconds or minutes
- Stainless Steel Enclosure
- Dimensions = 9 1/2"W x 11"H x 2"D
- Mounting stand available



DX9S



DX9

LED 9 DISPLAY TIMER

ITEM#	DESCRIPTION
DX9S*	LED 9 Display Timer with Stainless Steel Case
DX9	LED 9 Display Timer

- Available in single function or multi function versions.
- 2.25" x 7.75" Dot Matrix Display.
- Operator programmable greeting message of 64 spaces.
- Shows dollar amount needed to start instead of number of coins.
- Has prompt that shows "ADD \$x.xx MORE" if start price is not reached.
- Display standard message in English, Spanish or both.
- Display standard message, custom message, or combine the two.
- Optional one coin restart.
- Bonus time for unlimited time use.
- Extra input for either bill validator or credit card system.
- Infra-red remote control for programming or bay wash down.
- Last minute warning horn output. Adjustable from 0 to 59 seconds.
- Time per coin adjustable from 1 second to 9 minutes 59 seconds.
- Coins to start adjustable from 1 to 200.

MULTI-FUNCTION VERSION

- Three function inputs for controlling up to six different function at different time and price.
- Operator programmable function messages of 32 characters.

* Stainless steel enclosure 12.25" x 8" x 2"



For updated pricing visit
carwashsuperstore.com

