

#### Formula 519 Foam Brush

Page 1 of 8
Version: 1.0021
Revision Date: 02/07/2019
Print Date: 11/01/2019

### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Formula 519 Foam Brush

PRODUCT USE: Car wash

MANUFACTURED FOR: Warsaw Chemical Holdings LLC.

P.O. Box 858 Warsaw, IN 46581

INFORMATION PHONE: Tel: 1-800-548-3396

Fax: 1-574-267-3884

EMERGENCY PHONE: INFOTRAC

1-800-535-5053 USA & Canada 352-323-3500 International

# SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION: Skin Corrosion: Category 2

Eye Damage: Category 2B

PICTOGRAMS:



GHS ELELMENTS:

SIGNAL WORD: Warning

HAZARD STATEMENT(S): H315 | Causes skin irritation.

H320 | Causes eye irritation.

PRECAUTIONARY STATEMENT(S): P264 | Wash any exposed body parts thoroughly after handling.

P280 | Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 | IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 | Specific treatment (see supplemental first aid instruction on this label if

immediate administration of antidote/specific measures/cleansing

agent/immediate measures is/are appropriate/required).

P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 | If eye irritation persists: Get medical advice/attention.

P362 | Take off contaminated clothing and wash before reuse.

ADDITIONAL PRECAUTIONS: None Known

# SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS



Formula 519 Foam Brush

Page 2 of 8
Version: 1.0021
Revision Date: 02/07/2019
Print Date: 11/01/2019

	Time Date.
68439-57-6	5 - 10%
68584-22-5	5 - 10%
127087-87-0	1 - 5%
64-02-8	1 - 5%
4719-04-4	1 - 5%
7647-14-5	1 - 5%
1310-73-2	< 1.0%
Not Available	< 1.0%
81-88-9	< 1.0%
	68584-22-5 127087-87-0 64-02-8 4719-04-4 7647-14-5 1310-73-2 Not Available

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

### SECTION 4 - FIRST AID MEASURES

EYES: Check for and remove contact lenses. Immediately flush eyes with plenty of water

for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get

medical attention immediately.

SKIN: Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes

thoroughly before reuse. Get medical attention if irritation develops.

INHALATION: Move exposed person to fresh air. If breathing is irregular or if respiratory arrest

occurs, provide artificial respiration or oxygen by trained personnel. Loosen

clothing. Get medical attention immediately.

INGESTION: Wash out mouth with water. Do not induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious person. Get

medical attention immediately.

GENERAL: Physicians: No specific treatment. Treat symptomatically. Contact poison

treatment specialist if large quantities have been inhaled or ingested.

See Section 11 for exposure symptoms.

### SECTION 5 - FIRE FIGHTING MEASURES

FLAMMABILITY: In a fire or if heated, a pressure increase will occur and the container may burst.

EXTINGUISHING MEDIA: Use an extinguishing agent suitable for the surrounding fire.

PROTECTIVE EQUIPMENT: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with full face-piece operated in positive pressure

mode.

ADDITIONAL INFORMATION: Thermal decomposition products-carbon monoxide, sulfur oxides, metal

oxide/oxides, halogenated compounds.

#### SECTION 6 - ACCIDENTAL RELEASE MEASURES



Formula 519 Foam Brush

Page 3 of 8
Version: 1.0021
Revision Date: 02/07/2019
Print Date: 11/01/2019

PERSONAL PRECAUTIONS: No action should be taken involving individual risk or without suitable training.

Isolate area. Avoid contact with material. Do not breathe vapors. Provide

adequate ventilation. Wear proper personal protective equipment.

ENVIRONMENTAL: Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers. Inform relevant authorities if the product reaches sewers,

waterways or soil.

CONTAINMENT/CLEANUP: Stop leak if without risk. Move containers from spill area. Contain or absorb with

inert dry material. Dispose of according to local regulations. See Section 1 for

emergency contact information and 13 for waste disposal.

# SECTION 7 - HANDLING AND STORAGE

SAFE HANDLING: Wear appropriate personal protective equipment (see Section 8). Eating drinking

and smoking should be prohibited. Do not get into eyes or on skin. Do not ingest.

Keep containers tightly closed. Do not reuse container.

SAFE STORAGE: Store in accordance with local regulations. Store in original container away from

foods, drink and incompatible materials. Keep container tightly closed. Do not

store unlabeled. Use appropriate containment.

### SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Apply technical measures to comply with occupational exposure limits. Mechanical

ventilation, eyewash stations, showers where necessary.

EYE PROTECTION: Safety eye-wear/face shield complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid

splashes, mists or dusts.

RESPIRATORY PROTECTION: Use a properly fitted air-purifying or air-fed respirator complying with an approved

standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product & the

safe working limits of the chosen respirator.

HAND PROTECTION: Chemical resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk assessment

indicates this is necessary.

SKIN PROTECTION: Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist

before handling this product.

COMPONENT ACGIH TWA ppm OSHA/NIOSH STEL ppm OSHA/ACGIH STEL

mg/m3

Surfactant None None None None O.20

Nonylphenol ethoxylate 10.00 None None



Formula 519 Foam Brush

Page 4 of 8 on: 1.0021

Revision Date: Print Date: 02/07/2019 11/01/2019

Tetrasodium EDTA	None	None	15.00
Preservative	None	None	None
Sodium Chloride	None	None	None
Sodium Hydroxide 50%	2.00	None	None
Fragrance	None	None	None
Dve Basic Violet 10	None	None	None

# SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Viscous liquid UPPER EXPLOSIVE LIMITS: NA

COLOR: Red LOWER EXPLOSIVE LIMITS: NA

ODOR: Cherry VAPOR PRESSURE: NA

ODOR THRESHOLD: NA VAPOR DENSITY: NA

PH: 08.1 - 10.0 RELATIVE DENSITY: NA

MELTING POINT: NA SOLUBILITY: Completely Water

Soluble

FREEZING POINT: 32.00 F PARTITION COEFFICIENT: NA

BOILING POINT: NA AUTO-IGNITION TEMPERATURE: NA

FLASH PT METHOD: NA DECOMPOSITION TEMPERATURE: NA

FLASH POINT: NA SPECIFIC GRAVITY: 1.00000

EVAPORATION RATE: NA % VOLATILE: NA FLAMMABILITY: Nonflammable VISCOSITY (cst): NA

### SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY: HAZARDOUS DECOMPOSITION PRODUCTS

CHEMICAL STABILITY: Stable under normal conditions

POSSIBILITY OF HAZARDOUS

REACTIONS:

Stable under normal conditions

CONDITIONS TO AVOID: None known

INCOMPATIBLE MATERIALS: Strong acids and oxidizers.

HAZARDOUS Material does not decompose at ambient temperatures.

DECOMPOSITION PRODUCTS:

### SECTION 11 - TOXICOLOGICAL INFORMATION



#### Formula 519 Foam Brush

Page 5 of 8
Version: 1.0021
Revision Date: 02/07/2019
Print Date: 11/01/2019

ROUTES OF ENTRY: Inhalation Absorption Ingestion

**ACUTE EXPOSURE HAZARDS:** 

EYE CONTACT: Irritation

DERMAL: None expected.

ORAL: Nausea, diarrhea.

INHALATION: Minimally toxic based on test data for structurally similar materials.

Surfactant (CAS No. 68439-57-6) Oral LD50: Rat 500-5000 mg/kg

Alkyybenzenesulfonic Acid (CAS No. 68584-22-5)

Oral LD50: greater than 5mg/kg

Nonylphenol ethoxylate (CAS No. 127087-87-0)

Oral LD50: Rat 1600 mg/kg
Tetrasodium EDTA (CAS No. 64-02-8)
Oral LD50: 630-1,260mg/kg, rat
Preservative (CAS No. 4719-04-4)

Oral LD50: 1520mg/kg rat

Dermal LD50: greater than 2000mg/kg Rabbit

Sodium Chloride (CAS No. 7647-14-5)

Oral LD50: 3000mg/kg rat

### SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY: No data available.

PERSISTENCE & DEGRADABILITY: No data available.

BIOACCUMULATIVE POTENTIAL: No data available.

MOBILITY IN SOIL: No data available.

OTHER ADVERSE EFFECTS: No data available.

Surfactant (CAS No. 68439-57-6)

Fish LC50: 1-10 mg/kg

Alkyybenzenesulfonic Acid (CAS No. 68584-22-5)

Fish LC50: greater than 1000mg/L

Crustacean LC50: greater than 1000mg/L daphnia

Tetrasodium EDTA (CAS No. 64-02-8) Fish LC50: 410mg/kg, 96h, bluegill Preservative (CAS No. 4719-04-4)

Fish LC50: 119mg/L 96h

Crustacean LC50: 26.1 mg/L 48/h Sodium Chloride (CAS No. 7647-14-5)



Formula 519 Foam Brush

Page 6 of 8
Version: 1.0021
Revision Date: 02/07/2019
Print Date: 11/01/2019

Fish LC50: 4747mg/L 96h, trout

Crustacean LC50: 340 mg/L 48h daphnia Sodium Hydroxide 50% (CAS No. 1310-73-2)

Fish LC50: 144mg/L, 96H guppy

#### SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

### SECTION 14 - TRANSPORT INFORMATION

DOT (US)

UN NUMBER: NA

SHIPPING NAME: NA

TECHNICAL NAME: NA

HAZARD CLASS: NA

PACKAGING GROUP: NA

### SECTION 15 - REGULATORY INFORMATION

SARA 313 COMPONENTS CAS NO. % LESS THAN

2-Butoxyethanol 111-76-2 < 1.0%

CALIFORNIA PROP. 65 COMPONENTS CAS NO. % LESS THAN

 Nonylphenol ethoxylate
 127087-87-0
 1 - 5%

 Tetrasodium EDTA
 64-02-8
 1 - 5%

 Preservative
 4719-04-4
 1 - 5%

 2-Butoxyethanol
 111-76-2
 < 1.0%</td>

127087-87-0 Nonylphenol polyethylene glycol ether 90 - 100 %

25322-68-3 Polyethylene glycol 1 - 5 %

123-91-1 1,4-Dioxane 0 - 0.1 %

64-19-7 Acetic acid 0 - 0.1 %

75-21-8 Ethylene oxide 0 - 0.1 %

RTK: MA, PA, NJ,

WARNING! This product contains a chemical known to the

State of California to cause cancer birth defects or other reproductive

harm.

123-91-1 1,4-Dioxane 0 - 0.1 %



Formula 519 Foam Brush

Page 7 of 8
Version: 1.0021
Revision Date: 02/07/2019
Print Date: 11/01/2019

64-19-7 Acetic acid 0 - 0.1 %

75-21-8 Ethylene oxide 0 - 0.1 %

contains Nitrilo Acetic Acid <0.3% max and arsenic (max 1ppm) as contaminants or bi-products which are known to the State of

California to cause cancer or reproductive toxicity as listed under Prop. 65 State Drinking Water and Toxic Enforcement Act.

WARNING: This product contains a chemical known to the State of California to cause cancer.

Constituent part: Diethanolamine (CAS 111-42-2)

RQ 1,000#

This product can expose you to Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm..

#### SECTION 16 - OTHER INFORMATION


#### HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

Health Hazard	1
Fire Hazard	0
Reactivity	0
Personal Protection	В

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- A Safety Glasses
- B Safety Glasses, Gloves
- C Safety Glasses, Gloves, Apron
- D Face Shield, Gloves, Apron
- E Safety Glasses, Gloves, Dust Respirator
- F Safety Glasses, Gloves, Apron, Dust Respirator
- G Safety Glasses, Gloves, Vapor Respirator
- H Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- I Safety Glasses, Gloves, Dust & Vapor Respirator
- J Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- K Airline Hood or Mask, Gloves, Full Suit, Boots
- X Consult your supervisor for special handling directions

NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Information on this form is furnished soley for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.



#### Formula 519 Foam Brush

Page 8 of 8
Version: 1.0021
Revision Date: 02/07/2019
Print Date: 11/01/2019

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.