



Page 1 of 8

Version: 1.0001

Revision Date: 02/15/2019

Print Date: 10/28/2019

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Radiance Formula 557 Jazz FP Yellow

PRODUCT USE: Car wash

MANUFACTURED FOR: Warsaw Chemical Holdings LLC.

P.O. Box 858 Warsaw, IN 46581

INFORMATION PHONE: Tel: 1-800-548-3396

Fax: 1-574-267-3884

EMERGENCY PHONE: INFOTRAC

1-800-535-5053 USA & Canada 352-323-3500 International

SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION: Acute Toxicity - Oral: Category 4

Eye Damage: Category 2A

PICTOGRAMS:

 \bigcirc

GHS ELELMENTS:

SIGNAL WORD: Warning

HAZARD STATEMENT(S): H302 | Harmful if swallowed.

H319 | Causes serious eye irritation.

PRECAUTIONARY STATEMENT(S): P264 | Wash any exposed body parts thoroughly after handling.

P270 | Do not eat, drink or smoke when using this product.

P280 | Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P312 | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330 | Rinse mouth.

P337 + P313 | If eye irritation persists: Get medical advice/attention.
P501 | Dispose of contents/container to appropriate waste disposal entity in

accordance with local/regional/national/international regulation.

ADDITIONAL PRECAUTIONS: None Known

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS





Page 2 of 8
Version: 1.0001
Revision Date: 02/15/2019
Print Date: 10/28/2019

		Triffe Dates
Alkyybenzenesulfonic Acid	68584-22-5	5 - 10%
Dye	Not Available	5 - 10%
Surfactant	9004-82-4	1 - 5%
Sodium Hydroxide 50%	1310-73-2	1 - 5%
Nonylphenol ethoxylate	127087-87-0	1 - 5%
Surfactant	61789-40-0	1 - 5%
Preservative	4719-04-4	1 - 5%
Tetrasodium EDTA	64-02-8	< 1.0%
Silicone Emulsion	63148-62-9	< 1.0%
Perfume	Not available	< 1.0%

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

SECTION 4 - FIRST AID MEASURES

EYES: Check for and remove contact lenses. Immediately flush eyes with plenty of water

for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get

medical attention immediately.

SKIN: Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes

thoroughly before reuse. Get medical attention if irritation develops.

INHALATION: Move exposed person to fresh air. If breathing is irregular or if respiratory arrest

occurs, provide artificial respiration or oxygen by trained personnel. Loosen

clothing. Get medical attention immediately.

INGESTION: Wash out mouth with water. Do not induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious person. Get

medical attention immediately.

GENERAL: Physicians: No specific treatment. Treat symptomatically. Contact poison

treatment specialist if large quantities have been inhaled or ingested.

See Section 11 for exposure symptoms.

SECTION 5 - FIRE FIGHTING MEASURES

FLAMMABILITY: In a fire or if heated, a pressure increase will occur and the container may burst.

EXTINGUISHING MEDIA: Use an extinguishing agent suitable for the surrounding fire.

PROTECTIVE EQUIPMENT: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with full face-piece operated in positive pressure

mode.

ADDITIONAL INFORMATION: Thermal decomposition products-carbon monoxide, sulfur oxides, metal

oxide/oxides, halogenated compounds.

SECTION 6 - ACCIDENTAL RELEASE MEASURES





Page 3 of 8
Version: 1.0001
Revision Date: 02/15/2019
Print Date: 10/28/2019

PERSONAL PRECAUTIONS:

No action should be taken involving individual risk or without suitable training.

Isolate area. Avoid contact with material. Do not breathe vapors. Provide

adequate ventilation. Wear proper personal protective equipment.

ENVIRONMENTAL: Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers. Inform relevant authorities if the product reaches sewers,

waterways or soil.

CONTAINMENT/CLEANUP: Stop leak if without risk. Move containers from spill area. Contain or absorb with

inert dry material. Dispose of according to local regulations. See Section 1 for

emergency contact information and 13 for waste disposal.

SECTION 7 - HANDLING AND STORAGE

SAFE HANDLING: Wear appropriate personal protective equipment (see Section 8). Eating drinking

and smoking should be prohibited. Do not get into eyes or on skin. Do not ingest.

Keep containers tightly closed. Do not reuse container.

SAFE STORAGE: Store in accordance with local regulations. Store in original container away from

foods, drink and incompatible materials. Keep container tightly closed. Do not

store unlabeled. Use appropriate containment.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Apply technical measures to comply with occupational exposure limits. Mechanical

ventilation, eyewash stations, showers where necessary.

EYE PROTECTION: Safety eye-wear/face shield complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid

splashes, mists or dusts.

RESPIRATORY PROTECTION: Use a properly fitted air-purifying or air-fed respirator complying with an approved

standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product & the

safe working limits of the chosen respirator.

HAND PROTECTION: Chemical resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk assessment

indicates this is necessary.

SKIN PROTECTION: Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist

before handling this product.

COMPONENT ACGIH TWA ppm OSHA/NIOSH STEL ppm OSHA/ACGIH STEL

mg/m3

Alkyybenzenesulfonic Acid None None 0.20

Dye None None None



Radiance Formula 557 Jazz FP Yellow

Page 4 of 8 Version: 1.0001 02/15/2019 Revision Date:

10/28/2019 Print Date:

Surfactant None None None Sodium Hydroxide 50% 2.00 None None 10.00 Nonylphenol ethoxylate None None Surfactant None None None Preservative None None None Tetrasodium EDTA 15.00 None None Silicone Emulsion None None None Perfume None None None

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: UPPER EXPLOSIVE LIMITS: NA Liquid

Yellow COLOR: LOWER EXPLOSIVE LIMITS: NA

Slight VAPOR PRESSURE: NA ODOR:

ODOR THRESHOLD: NA VAPOR DENSITY: NΑ

PH: 04.1 - 08.0RELATIVE DENSITY: NA

MELTING POINT: NA SOLUBILITY: Completely Water

Soluble

FREEZING POINT: NA PARTITION COEFFICIENT: NA

NA **AUTO-IGNITION TEMPERATURE: BOILING POINT:** NA

FLASH PT METHOD: DECOMPOSITION TEMPERATURE: NΑ NA

FLASH POINT: NA SPECIFIC GRAVITY: NA

EVAPORATION RATE: % VOLATILE: NA NA

FLAMMABILITY: NA VISCOSITY (cst): NA

SECTION 10 - STABILITY AND REACTIVITY

HAZARDOUS DECOMPOSITION PRODUCTS REACTIVITY:

CHEMICAL STABILITY: Stable under normal conditions

POSSIBILITY OF HAZARDOUS

REACTIONS:

HAZARDOUS

Stable under normal conditions

CONDITIONS TO AVOID: None known

INCOMPATIBLE MATERIALS: Strong acids and oxidizers.

DECOMPOSITION PRODUCTS:

Material does not decompose at ambient temperatures.





Page 5 of 8

Version: 1.0001

Revision Date: 02/15/2019

Print Date: 10/28/2019

SECTION 11 - TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY: Inhalation Absorption Ingestion

ACUTE EXPOSURE HAZARDS:

EYE CONTACT: Irritation

DERMAL: None expected.

ORAL: Nausea, diarrhea.

INHALATION: Minimally toxic based on test data for structurally similar materials.

Alkyybenzenesulfonic Acid (CAS No. 68584-22-5)

Oral LD50: greater than 5mg/kg Surfactant (CAS No. 9004-82-4) Oral LD50: Rat 1600 mg/kg

Nonylphenol ethoxylate (CAS No. 127087-87-0)

Oral LD50: Rat 1600 mg/kg Surfactant (CAS No. 61789-40-0) Oral LD50: Rat >5000 mg/kg Preservative (CAS No. 4719-04-4) Oral LD50: 1520mg/kg rat

Dermal LD50: greater than 2000mg/kg Rabbit

Tetrasodium EDTA (CAS No. 64-02-8) Oral LD50: 630-1,260mg/kg, rat

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY: No data available.

PERSISTENCE & DEGRADABILITY: No data available.

BIOACCUMULATIVE POTENTIAL: No data available.

MOBILITY IN SOIL: No data available.

OTHER ADVERSE EFFECTS: No data available.

Alkyybenzenesulfonic Acid (CAS No. 68584-22-5)

Fish LC50: greater than 1000mg/L

Crustacean LC50: greater than 1000mg/L daphnia

Surfactant (CAS No. 9004-82-4) Fish LC50: 2.3mg/L 96h

Crustacean LC50: 13ppm 96h Daphnia Sodium Hydroxide 50% (CAS No. 1310-73-2)

Fish LC50: 144mg/L, 96H guppy Preservative (CAS No. 4719-04-4)

Warsaw Chemical HOLDINGS LLC RO. BOX 858 • Warsaw, Indiana 46581 ROD-548-3396 • Warsaw warsaw-chem com

Radiance Formula 557 Jazz FP Yellow
Page 6 of 8

Version: 1.0001
Revision Date: 02/15/2019
Print Date: 10/28/2019

Fish LC50: 119mg/L 96h

Crustacean LC50: 26.1 mg/L 48/h Tetrasodium EDTA (CAS No. 64-02-8) Fish LC50: 410mg/kg, 96h, bluegill

SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

SECTION 14 - TRANSPORT INFORMATION

DOT (US)

UN NUMBER: NA

SHIPPING NAME: NA

TECHNICAL NAME: NA

HAZARD CLASS: NA

PACKAGING GROUP: NA

SECTION 15 - REGULATORY INFORMATION

SARA 313 COMPONENTS CAS NO. % LESS THAN

CALIFORNIA PROP. 65 COMPONENTS CAS NO. % LESS THAN

 Surfactant
 9004-82-4
 1 - 5%

 Nonylphenol ethoxylate
 127087-87-0
 1 - 5%

 Surfactant
 61789-40-0
 1 - 5%

 Preservative
 4719-04-4
 1 - 5%

 Tetrasodium EDTA
 64-02-8
 < 1.0%</td>

Constituent part: 1,4-Dioxane (123-91-1) less than 0.1% and Ethylene Oxide (75-21-8) less than

0.1%

Warning: this product may contain a chemical known by the state of California to cause cancer,

birth defects or other reproductive harm.

RTK: NJ, PA, RQ 1,000#

127087-87-0 Nonylphenol polyethylene glycol ether 90 - 100 %

25322-68-3 Polyethylene glycol 1 - 5 %

123-91-1 1,4-Dioxane 0 - 0.1 %

Warsaw Chemical HOLDINGS LLC P.O. BOX 858 • Warsaw, Indiana 46581 800-548-3396 • www.warsaw-chem.com

Radiance Formula 557 Jazz FP Yellow

Page 7 of 8

Version: 1.0001

Revision Date: 02/15/2019

Print Date: 10/28/2019

64-19-7 Acetic acid 0 - 0.1 % 75-21-8 Ethylene oxide 0 - 0.1 %

RTK: MA, PA, NJ,

WARNING! This product contains a chemical known to the

State of California to cause cancer birth defects or other reproductive

harm.

123-91-1 1,4-Dioxane 0 - 0.1 % 64-19-7 Acetic acid 0 - 0.1 %

75-21-8 Ethylene oxide 0 - 0.1 %

Constituent part: dichloroacetic acid 0.0054% CAS#79-43-6

Known to the State of California to cause cancer and male reproductive toxicity

RTK:Constituent part: Glycerol CAS# 56-81-5, 1-5%

MA, RI, MN, NJ, PA

WARNING: This product contains a chemical known to the State of California to cause cancer.

Constituent part: Diethanolamine (CAS 111-42-2)

contains Nitrilo Acetic Acid <0.3% max and arsenic (max 1ppm) as contaminants or bi-products

which are known to the State of

California to cause cancer or reproductive toxicity as listed under Prop. 65 State Drinking Water and

Toxic Enforcement Act.

SECTION 16 - OTHER INFORMATION


HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

Health Hazard	1
Fire Hazard	0
Reactivity	0
Personal Protection	В

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- A Safety Glasses
- B Safety Glasses, Gloves
- C Safety Glasses, Gloves, Apron
- D Face Shield, Gloves, Apron
- E Safety Glasses, Gloves, Dust Respirator
- F Safety Glasses, Gloves, Apron, Dust Respirator
- G Safety Glasses, Gloves, Vapor Respirator
- H Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- I Safety Glasses, Gloves, Dust & Vapor Respirator
- J Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- K Airline Hood or Mask, Gloves, Full Suit, Boots
- X Consult your supervisor for special handling directions

NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.



Radiance Formula 557 Jazz FP Yellow

Page 8 of 8 1.0001 02/15/2019

Version: Revision Date: Print Date: 10/28/2019

Information on this form is furnished soley for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.